

COMPACTION

Plate Compaction, Rammers, Rollers, and Ride-on Rollers



PLATE COMPACTORS



WACKER NEUSON/WP1550AW

- Lightweight plate compactor
- Center mount lifting bale
- Includes water tank and spray bar



MULTIQUIP/MVC88VTHW

- 20" plate compactor
- Center mount lifting bale
- Advanced anti-vibration handle



WACKER NEUSON/BPU3050A

- Reversible plate compactor
- Ideal for paving stones, landscaping
- Guide handle shock mount + lateral guiding



WACKER NEUSON/BPU4045A

- Multi-directional plate compactor
- Larger gas engine + capacity = Longer run times



MULTIQUIP/MVH308GH

- Reversible plate compactor
- Great for sand, gravel and cohesive soils



WACKER NEUSON/DPU6555HE

- Heavy-duty multi-directional plate compactor
- Ideal for frost coverings and base layers
- Extensive comfort & safety features

MAKE	MODEL	CENTRIFUGAL FORCE	BASE PLATE (LW)	FUEL	FWD/REV SPEED	DIMENSIONS (LWH)	WEIGHT	CAT-CLASS
Wacker Neuson	WP1550AW	3375	19.5" x 23"	Gas	0-100 fpm	34.5" x 19.5" x 38"	194 lbs	150-1260
Multiquip	MVC88CTHW	3372	20.7" x 19.7"	Gas	0-82 fpm	41.75" x 19.5" x 37"	229 lbs	150-1260
Wacker Neuson	BPU3050A	6750	34.4" x 17.7"	Gas	0-69 fpm	30.1" x 22.4" x 51.4"	366 lbs	150-1460
Wacker Neuson	BPU4045A	8992	35.4" x 17.7"	Gas	0-79 fpm	30.7" x 59.5" x 41.7"	710 lbs	150-1540
Multiquip	MVH308GH	10116	34" x 18"	Gas	0-79 fpm	61" x 24" x 48"	717 lbs	150-1540
Wacker Neuson	DPU6555HE	14612	34" x 21.7"	Diesel	0-92 fpm	30.7" x 59.5" x 41.7"	1091 lbs	150-1580

RAMMERS



MULTIQUIP/MTR40SF

- Unique rammer operates in confined spaces
- Ideal for utility contractors and landscapers



MULTIQUIP/MTX70HD

- Vibratory rammer with 11" shoe
- Great for granular, mixed, or cohesive soils
- Gasoline powered - no mixed fuel



WACKER NEUSON/BS60-4AS

- Vibratory rammer with 11" shoe
- Great for granular, mixed, or cohesive soils
- Gasoline powered - no mixed fuel

MAKE	MODEL	FUEL	IMPACT/FORCE	HP	SHOE SIZE (INS)	MAX BPM	MAX STROKE	WEIGHT	CAT-CLASS
Multiquip	MTX70HD	Gasoline	3,350 lbs	2.8	11.2" x 13.4"	690	3.1	165 lbs	150-1080
Multiquip	MTR40SF	Gasoline	1,215 lbs	2.8	10.6" x 5.9"	699	2.2	101 lbs	150-1080
Wacker Neuson	BS60-4AS	Gasoline	4,050 lbs	3.2	11" x 13"	690	3.1	158 lbs	150-1080

ROLLERS



MULTIQUIP/MRH800GS

- Walk-behind tandem roller
- Variable speed control in forward and reverse



WACKER NEUSON/RTKX-SC3

- Remote controlled trench roller
- Infrared signal with line-of-sight control
- Remote control for safe trench operation



WACKER NEUSON/RD7A

- Walk-behind smooth drum tandem roller
- Suitable for wide range of soil/asphalt compaction
- Operator safety system

MAKE	MODEL	DRUM WIDTH	DRUM TYPE	GRADEABILITY	CENTRIFUGAL FORCE	DIMENSIONS (LWH)	WEIGHT	CAT-CLASS
Wacker Neuson	RD7A	25"	Smooth	40%	4,998 lbs High 2,935 lbs Low	93.1" x 27.5" x 45.7"	1,512 lbs	150-2020
Wacker Neuson	RTKX-SC3	32"	Trench Roller	50%	15,400 lbs High 7,700 lbs Low	73" x 50" x 32"	3,235 lbs	150-2260
Multiquip	MRH800GS	35"	Smooth	30%	3,400 lbs	72" x 41" x 91"	2,689 lbs	150-2020

RIDE-ON ASPHALT ROLLERS



WACKER NEUSON/RD12A-90

- Dual drum drive and articulated steering for accurate control
- High frequency allows for faster speeds
- High quality finish with front vibratory drum



VOLVO/DD25BW

- Revamped model offers 7% reduction in fuel consumption
- High-quality pressurized water system with consistent water flow
- 360-degree visibility with sliding seat



RIDE-ON SOIL ROLLERS



VOLVO/SD45

- Engine features automatic idling and passive regeneration
- Compact design maneuvers with ease in confined spaces
- Convert from smooth to padfoot in less than an hour



VOLVO/SD75B

- Five frequency options for changing soil types and conditions
- Adaptive power will adjust engine and hydraulics to optimal level needed for the job
- Clamped on padfoot available for different applications



VOLVO/SD115B

- Tier 4 Final engine delivers high torque at low rpm for low fuel consumption
- Advanced traction system for difficult applications
- Clamped on padfoot available for different applications

MAKE	MODEL	DRUM WIDTH	DRUM TYPE	GRADEABILITY	CENTRIFUGAL FORCE	DIMENSIONS (LWH)	WEIGHT	CAT-CLASS	PADFOOT CAT-CLASS
Wacker Neuson	RD12A-90	35 in	Smooth	30%	3,400 lbs	72" x 41" x 91"	2,689 lbs	150-2820	N/A
Volvo	DD25BW	47 in	Smooth	30%	6,227 - 9,127 lbs	95.3" x 50.8" x 116.3"	5,445 lbs	150-2860	N/A
Volvo	SD45B	54 in	Smooth Single Drum	45%	16,800-22,300 lbs	164.6" x 61" x 111.4"	10,910 lbs	150-2730	150-2950
Volvo	SD75B	66 in	Smooth Single Drum	65%	21,600 - 29,700 lbs	198.6" x 72" x 115.1"	15,400 lbs	150-2760	150-2960
Volvo	SD115B	84 in	Smooth Single Drum	65%	54,400 - 58,050 lbs	239.8" x 90" x 118.1"	25,651 lbs	150-2770	150-2970