



TRUCKS + TRAILERS

Pick-up Trucks, Vans, Stake Body Trucks
Dump Trucks, Water Trucks, Speciality Trucks
Tilt Trailers, Utility Trailers and Dump Trailers

TRUCKS + TRAILERS



PICK-UP TRUCKS



TRUCKS EQUIPPED WITH

- Back-up camera
- Bluetooth®
- Tow package
- Spray-in bedliner
- ProControl Telematics



MAKE	MODEL	BODY /CAB STYLE	DRIVETRAIN	FUEL TYPE	GVWR	PAYLOAD CAPACITY	TOW CAPACITY	CAT-CLASS
Chevrolet	Silverado 1500	Regular	4x4	Gas	7,000 lbs	2,052 lbs	9,500 lbs	659-5010
Chevrolet	Silverado 1500	Double	4x4	Gas	7,200 lbs	1,967 lbs	9,200 lbs	659-5030
Chevrolet	Silverado 1500	Crew	4x4	Gas	7,200 lbs	1,800 lbs	9,100 lbs	659-5050
Chevrolet	Silverado 2500	Crew	4x4	Gas	9,900 lbs	2,968 lbs	13,900 lbs	659-5160
Ford	F250	Crew	4x4	Diesel	10,000 lbs	2,977 lbs	14,200 lbs	659-5170
Chevrolet	Silverado 3500	Crew	4x4	Gas	11,000 lbs	4,099 lbs	13,700 lbs	659-5240
Ford	F350	Crew	4x4	Diesel	11,200 lbs	3,958 lbs	12,900 lbs	659-5250

SEE PAGE 163 FOR PAYLOAD AND TOWING CAPACITY CHARTS



VANS



VANS EQUIPPED WITH

- Back-up camera
- Bluetooth®
- Tow package
- ProControl Telematics



MAKE	MODEL	BODY /CAB STYLE	DRIVETRAIN	FUEL TYPE	GVWR	PAYLOAD CAPACITY	TOW CAPACITY	CAT-CLASS
Ford	T250	Cargo Van	4x2	Gas	9,000 lbs	3,600 lbs	5,200 lbs	659-5470
Ford	T350	12 Person - Passenger Van	4x2	Gas	9,000 lbs	2,800 lbs	4,300 lbs	659-5510



STAKE BODY TRUCKS

TRUCKS EQUIPPED WITH

- Back-up camera
- Bluetooth®
- Tow package
- Removable stakes
- Lift gate
- ProControl Telematics



MAKE	MODEL	BODY / CAB STYLE	DRIVETRAIN	FUEL TYPE	GVWR	PAYLOAD CAPACITY	TOW CAPACITY	CAT-CLASS
Ford	F450	12 ft. Stake Bed / Standard Cab	4x4	Diesel	16,500 lbs	4,000 lbs	10,000 lbs	659-5640
Ford	F450	12 ft. Stake Bed / Standard Cab	4x2	Gas	16,500 lbs	4,000 lbs	10,000 lbs	659-5650
Ford	F550	12 ft. Stake Bed / Standard Cab	4x4	Gas	19,500 lbs	7,600 lbs	10,000 lbs	659-5630
Ford	F550	12 ft. Stake Bed / Crew Cab	4x4	Diesel	19,500 lbs	5,900 lbs	10,000 lbs	659-5730
Ford	F550	12 ft. Stake Bed / Crew Cab	4x4	Gas	19,500 lbs	5,900 lbs	10,000 lbs	659-5725
Ford	F750	22 ft. Stake Bed / Standard Cab	4x2	Gas	25,999 lbs	10,100 lbs	6,000 lbs	659-5790
Hino	268A	22 ft. Stake Bed / Standard Cab	4x2	Diesel	25,950 lbs	10,200 lbs	6,000 lbs	659-5800

DUMP TRUCKS



TRUCKS EQUIPPED WITH

- Back-up camera
- Bluetooth®
- Tow package
- Tarp system
- In-cab bed controls
- ProControl Telematics



MAKE	MODEL	BODY / CAB STYLE	DRIVETRAIN	FUEL TYPE	GVWR	CDL REQUIRED	PAYLOAD CAPACITY	TOW CAPACITY	CAT-CLASS
Ford	F550	3 - 4 Yard / Standard Cab	4x4	Diesel	19,500		7,600 lbs	10,000 lbs	659-6120
Ford	F550	3 - 4 Yard / Crew Cab	4x4	Diesel	19,500		7,000 lbs	10,000 lbs	659-6130
Ford	F550	3 - 4 Yard / Crew Cab	4x4	Gas	19,500		7,000 lbs	10,000 lbs	659-6135
Ford	F750	5 - 6 Yard	4x2	Gas	25,999		10,900 lbs	10,000 lbs	659-6160
Ford	F750	5 - 6 Yard - CDL	4x2	Diesel	33,000	✓	17,300 lbs	10,000 lbs	659-6170
Hino	268A	5 - 6 Yard	4x2	Diesel	25,950		10,200 lbs	10,000 lbs	659-6180
Freightliner	M2-106	12 - 14 Yard - Manual Transmission	4x2	Diesel	58,000	✓	33,000 lbs	25,000 lbs	659-6200
Freightliner	M2-106	12 - 14 Yard - Automatic Transmission	4x2	Diesel	58,000	✓	33,000 lbs	25,000 lbs	659-6210

WATER TRUCKS



TRUCKS EQUIPPED WITH

- Creek and hydrant fill options
- Back-up camera
- Bluetooth®
- In-cab controls
- 5 spray heads
- ProControl Telematics

CDL and Tanker Endorsement is required as both trucks can transport more than 1,000 gallons of water.



WATER TRAILER

MULTIQUIP/WT5C

- DOT-approved
- Quick-Fill Tank
- 158 GPM and rear spray bar



MAKE	MODEL	TANK CAPACITY	DRIVETRAIN	FUEL TYPE	GVWR	CDL REQUIRED	CAT-CLASS
Hino	338	2,000 Gallon	4x2	Diesel	33,000 lbs	✓	659-6040
Freightliner	M2-106	4,000 Gallon	4x2	Diesel	58,000 lbs	✓	659-6050
Freightliner	108SD	4,000 Gallon	6x6	Diesel	62,000 lbs	✓	659-6052

MAKE	MODEL	GVWR	TANK CAPACITY	HITCH TYPE	CAT-CLASS
Multiquip	WT5C	10,000 lbs	525 Gallons	2" Ball	610-2420



CDL Required
if GVW is greater than **26,000 lbs.**

SPECIALITY TRUCKS



UTILITY TRUCKS EQUIPPED WITH

- Storage compartments
- Ladder rack
- Tow package



BUCKET TRUCKS EQUIPPED WITH

- 38-foot bucket height
- Articulating arm
- Insulated bucket



CRANE TRUCKS EQUIPPED WITH

- 38-foot/23 foot 3-section boom
- Anti-two-block
- Hydraulic capacity alert



CRASH TRUCKS EQUIPPED WITH

- Removable stakes
- Man bucket
- Strobe and work lights
- 65 mph rated attenuator

MAKE	MODEL	BODY /CAB STYLE	DRIVETRAIN	FUEL TYPE	GVWR	CDL REQUIRED	CAT-CLASS
Ford	F350	9 ft. Bed Utility Truck	4x4	Gas	10,700 lbs		659-5880
Ford	F550	38 ft. Bucket Truck	4x4	Gas	19,500 lbs		659-6320
Ford	F750	18 Ton Crane Truck	4x2	Diesel	33,000 lbs	✓	659-6380
Ford	F750	62 mph Crash Attenuator Truck	4x2	Gas	25,999 lbs		659-6250

PAYLOAD + TOWING CAPACITY TRUCKS


GROSS VEHICLE WEIGHT RATING (GVWR)

The GVWR is the maximum operating weight of a truck as specified by the manufacturer including the chassis, body, fuel, cargo, driver, and passenger.


TOW CAPACITY

Towing capacity is the maximum allowable weight a truck can tow. Towing capacity is specified by the vehicle manufacturer and can usually be found in the owner's manual.


PICK-UP TRUCKS




VANS



STAKE BODY TRUCKS



DUMP TRUCKS



TILT TRAILERS



TRAILERS EQUIPPED WITH

- D-rings/corner ties
- 8" sides
- Chains/binders
- Headache rack



MAKE	MODEL	DESCRIPTION	GVWR	PAYLOAD CAPACITY	HITCH TYPE	CAT-CLASS
Felling	FT-6T-GW	12' Pan Tilt	7,000 lbs	5,350 lbs	2" Ball	610-1766
Felling	FT-10IT-I-G	16' Tilt	9,980 lbs	7,380 lbs	3" Pintle	610-1770
Felling	FT-12IT-I-G	18' Tilt	15,200 lbs	12,000 lbs	3" Pintle	610-1780

UTILITY TRAILERS



TRAILERS EQUIPPED WITH

- Tail gate ramp
- 14" Felling / 36" best sides
- D-rings/corner ties



MAKE	MODEL	DESCRIPTION	GVWR	PAYLOAD CAPACITY	HITCH TYPE	CAT-CLASS
Felling	FT-3-G	10' Pan Utility	2,900 lbs	1,800 lbs	2" Ball	610-1059
Best	5x8US	8' Utility	2,999 lbs	2,000 lbs	2" Ball	610-1060

DUMP TRAILERS



TRAILERS EQUIPPED WITH

- Magnetized remote
- Roll tarp
- Gas powered



MAKE	MODEL	DESCRIPTION	GVWR	PAYLOAD CAPACITY	HITCH TYPE	CAT-CLASS
Felling	FT-6DT-GAS-G	8' Dump Trailer	7,000 lbs	4,500 lbs	2" Ball	610-2200
Felling	FT-10DT-GAS-G	10' Dump Trailer	9,980 lbs	7,000 lbs	3" Pintle	610-2230

PAYLOAD CAPACITY TRAILERS

GROSS VEHICLE WEIGHT RATING (GVWR)


A trailer's GVWR is the maximum amount of weight a trailer can weigh including both the trailer and cargo.

PAYLOAD CAPACITY

A trailer's payload capacity is the maximum amount of weight that can be added to the deck of the trailer.


TILT

CAT-CLASS	MAKE	MODEL	DESCRIPTION	GVWR (LBS)
610-1766	Felling	FT-6T-GW	12' Pan Tilt	7,000
610-1770	Felling	FT-10IT-I-G	16' Tilt	9,980
610-1780	Felling	FT-12IT-I-G	18' Tilt	15,200




UTILITY

CAT-CLASS	MAKE	MODEL	DESCRIPTION	GVWR (LBS)
610-1059	Felling	FT-3-G	10' Pan Utility	2,900
610-1060	Best	5X8-US	8' Utility	2,999



DUMP

CAT-CLASS	MAKE	MODEL	DESCRIPTION	GVWR (LBS)
610-2200	Felling	FT-6DT-GAS-G	8' Dump Trailer	7,000
610-2230	Felling	FT-10DT-GAS-G	10' Dump Trailer	9,980



TRUCK + TRAILER CONFIGURATION

CAT-CLASS	DESCRIPTION	GVWR	PAYLOAD	TOW CAPACITY
659-5010	1/2 Ton / Gas	7,000	2,052	9,500
659-5030	1/2 Ton / Double Cab / Gas	7,200	1,967	9,200
659-5050	1/2 Ton / Crew Cab / Gas	7,200	1,800	9,100
659-5160	3/4 Ton / Crew / Gas	9,900	2,968	13,900
659-5170	3/4 Ton / Crew / Diesel	10,000	2,977	14,200
659-5240	1 Ton / Crew / Gas	11,000	4,099	13,700
659-5250	1 Ton / Crew / Diesel	11,200	3,958	12,900
659-5470	Cargo Van	9,000	3,600	5,200
659-5510	12 - Person Passenger Van	9,000	2,800	4,300
659-5630	12 ft. Stake / F550/ Gas	19,500	7,600	10,000
659-5640	12 ft. Stake / F450 / Diesel	16,500	4,000	10,000
659-5650	12 ft. Stake / F450 / Gas	16,500	4,000	10,000
659-5725	12 ft. Stake / F550 / Crew / Gas	19,500	5,900	10,000
659-5730	12 ft. Stake / F550 / Crew / Diesel	19,500	5,900	10,000
659-5790	22 ft. Stake / Gas	25,999	10,100	6,000
659-5800	22 ft. Stake / Diesel	25,950	10,200	6,000
659-6120	3 YD / F550/ Diesel	19,500	7,600	10,000
659-6130	3 YD / F550/ Crew Cab / Diesel	19,500	7,000	10,000
659-6135	3 YD / F550 / Crew / Gas	19,500	7,000	10,000
659-6160	5 YD / Gas	25,999	10,900	10,000
659-6170	5 YD / Diesel / CDL	33,000	17,300	10,000
659-6180	5 YD / Diesel	25,950	10,200	10,000
659-6200	12 YD / Diesel / MT	58,000	33,000	25,000
659-6210	12 YD / Diesel / AT	58,000	33,000	25,000

FT-3-G
2,900 GVW

5X8-US
2,999 GVW


FT-6T-GW
7,000 GVW

FT-6DT-GAS-G
7,000 GVW

FT-10DT-GAS-G
9,980 GVW

FT-10T-I-G
9,980 GVW

FT-12IT-I-G
15,200 GVW



DOT KNOWLEDGE

Medical Examiner's Certificate (ME Certificate)

All drivers of commercial motor vehicles in interstate commerce with a gross vehicle weight rating (vehicle only) or gross combination weight rating (vehicle plus trailer) of 10,001 pounds or more are required to obtain and maintain a valid Medical Examiner's Certificate (ME Certificate)



Commercial Driver's License (CDL)

CLASS A

Any combination of vehicles with a GVWR of 26,001 or more pounds provided the GVWR of the vehicle(s) being towed is in excess of 10,000 pounds.

GVWR/GCWR of **26,001** lbs +
TOWING MORE THAN **10,000** lbs



CLASS B

Any single vehicle with a GVWR of 26,001 or more pounds, or any such vehicle towing a vehicle not in excess of 10,000 pounds GVWR.

GVWR/GCWR of **26,001** lbs +
TOWING LESS THAN **10,000** lbs



CLASS C

Any single vehicle, or combination of vehicles, that does not meet the definition of Class A or Class B, but is either designed to transport 16 or more passengers, including the driver, or is placarded for hazardous materials.



License Endorsements

In addition to needing a CDL, some drivers may be required to have additional endorsements that allow them to operate specialized vehicles and carry a variety of cargo.

- H** – Hazardous Materials – Required in order to drive any commercial vehicle which transports hazardous materials and is placarded under state or federal regulations.
- N** – Tank Vehicles – A tanker endorsement is required when hauling a load with aggregate bulk packages of 119 gallons, totaling 1,000 gallons or more.
- P** – Passenger Transport (16 or more passengers)
- X** – Combination of Tank Vehicle and Hazardous Materials

License Restrictions

CDL licenses can be restricted in the following ways:

- L Restriction** - Air Brakes: Drivers are restricted from operating a commercial vehicle with air brakes. This restriction is issued when a driver either fails the air brake component of the general knowledge test or performs the road skills test in a vehicle not equipped with air brakes.
- E Restriction** - The driver may only operate a commercial vehicle with an automatic transmission.
- O Restriction** - You are restricted from operating a tractor trailer with a fifth-wheel connection if you used a unit with a pintle hook, or other non-fifth wheel connection (such as a goose neck, or ball and chain hook up) during the road skills test.